

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1-32. (Canceled).

33. (Currently Amended) A reclosable storage bag, comprising:
a first side having a bottom edge, left edge, right edge, and top edge;
a second side having a bottom edge, left edge, right edge, and top edge, the bottom edges of the first and second sides being attached, the left edges of the first and second sides being attached, and the right edges of the first and second sides being attached;
primary closure members provided proximate the top edges of the first and second sides;
an aperture in at least one of the first and second sides; and
a secondary closure element associated with the aperture, the secondary closure element being impervious to the passage of liquid, the secondary closure element including a layer of liquid sensitive material sandwiched between first and second layers of liquid insensitive material, the first and second layers of liquid insensitive material being porous, the layer of liquid sensitive material ~~being porous when not exposed to liquid and non-porous when exposed to liquid~~ having a first state when not exposed to liquid which allows gas flow from the first layer of liquid insensitive material to the second layer of liquid sensitive material, and a second state when exposed to liquid that prevents liquid flow from the first layer of liquid insensitive material to the second layer of liquid insensitive material.

34. (Previously Presented) The storage bag of claim 33, wherein the liquid sensitive material is an adhesive layer.

35. (Previously Presented) The storage bag of claim 34, wherein the adhesive layer is perforated.

36. (Currently Amended) The storage bag of claim 33, wherein the ~~porous~~ liquid insensitive material is manufactured of foam.

37. (Previously Presented) The storage bag of claim 36, wherein the foam is manufactured from polyethylene.

38. (Previously Presented) The storage bag of claim 37, wherein the polyethylene is manufactured to have an open cell structure

39. (Previously Presented) The storage bag of claim 37, wherein the polyethylene is manufactured to have a closed cell structure and is subsequently punctured to form an open cell structure

40. (Previously Presented) The storage bag of claim 37, wherein the polyethylene is non-woven.

41. (Previously Presented) The storage bag of claim 40, wherein the non-woven polyethylene is made of one of spun bond, melt blown, and spun bond-melt blown-spun bond polyethylene.

42. (Previously Presented) The storage bag of claim 40, wherein the non-woven polyethylene has a basis weight in the range of 0.1 OSY to 50 OSY.

43. (Previously Presented) The storage bag of claim 33, wherein the liquid sensitive material is selected from the group consisting of polyvinyl alcohol, cellulose, and water sensitive gums.

Appl. No. 10/823,261
Amdt. dated Jul. 18, 2006
Reply to Office action of May 11, 2006

44. (Currently Amended) The storage bag of claim 46, wherein the liquid water sensitive gum is guar gum.